

*Bantam Trailer Suspension (Right Side)
Jon Rogers Pic/ Al Brass Trailer
Trailer Travel Arm Cable partly removed*





*Bantam Trailer Hand Brake Assembly
Jon Rogers Pic/ Al Brass Trailer
Light Switch (Open)*

*Bantam Trailer Hand Brake Cable
(Looking Forward)
Jon Rogers Pic/ Al Brass Trailer*





Bell Crank

Over Sized Pivot Bolt Head

J-Bolt

Equalizer

Pal Nut

Brake Cable

BANTAM BRAKE PARTS - Al Brass pic




BANTAM UNDER FROM FRONT - Al Brass pic



BANTAM WHEEL BRAKE - Al Brass pic


Photo By Bill Hollinger





WIRING - TRAILER PLUG
VIEWED FROM CABLE END

Drawn by Jon Rogers © 1 Oct 2005
<http://jeepdraw.com>



TM-10-1281
FIGURE 5 - WIRING SYSTEM
BANTAM/WILLYS MBT
TRAILER

Drawn by Jon Rogers © 1 Oct 2005
<http://jeepdraw.com>



No.	Color	Name
A-1	Brown	Coupling Socket Terminal "TL" to Trailer Switch Terminal "T"—Cable
A-2	White	Coupling Socket Terminal "SL" to Trailer Switch Terminal "S"—Cable
A-3	Red	Coupling Socket Terminal "GR" to Trailer Ground—Cable

TRAILER WIRING HARNESS EXTENSION

No.	Color	Name
B-1	Yellow with 2 Black Tracers	Trailer Switch "BOT" to Blackout Tail Light Connector—Cable
B-2	Blue with 2 White Tracers	Trailer Switch "ST" to Service Tail Light—Cable
B-3	Red with 2 White Tracers	Trailer Switch "SS" to Service Stop Light—Cable
B-4	White with 2 Black Tracers	Trailer Switch "BOS" to Blackout Stop Light—Cable, Right side

TANDEM TOW ELEC. CONNECTION - Photo By Chuck Lutz

*Drawings to make this and
the pintle braces are
Available from The 1/4Ton
Drawings Section Of JorpDraw*



TANDEM TOW ELEC. CONNECTION - Photo By Chuck Lutz



TRAILER 2 WHEELS 1/4 TON

SUPPLY ARM OR SERVICE

MAINTAINING VEHICLE - QUARTERMASTER CORPS

MAKE AND MODEL

BANTAM-T3

SERIAL NUMBER

GROSS WEIGHT _____ 1050 LBS.

MAXIMUM PAYLOAD _____ 500 LBS.

MAXIMUM SPEED _____ 65 M. P. H.

CUBIC CONTENT _____ 30.4 CU. FT.

DATE OF DELIVERY

PUBLICATIONS APPLYING TO THIS TRAILER

PARTS LIST T/M 10 - 1281

MAINTENANCE MANUAL T/M 10 - 1281

BANTAM

AMERICAN BANTAM CAR CO.

BUTLER, PA.

TRAILER 2 WHEELS $\frac{1}{4}$ TON

SUPPLY ARM OR SERVICE

MAINTAINING VEHICLE - QUARTERMASTER CORPS

MAKE AND MODEL _____ WILLYS MB. T

SERIAL NUMBER _____

GROSS WEIGHT _____ 1050 LBS.

MAXIMUM PAYLOAD _____ 500 LBS.

MAXIMUM SPEED _____ 65 M. P. H.

CUBIC CONTENT _____ 30.4 CU. FT.

DATE OF DELIVERY _____

PUBLICATIONS APPLYING TO THIS TRAILER

PARTS LISTS T/M 10 - 1230


MAINTENANCE MANUAL T/M 10 - 1230

WILLYS

WILLYS - OVERLAND MOTORS INC.


TOLEDO, OHIO

APLATES * DATA * FROM



RA PD 305184

FIGURE B—TRAILER, ¼-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43, AMERICAN BANTAM T-3
AND WILLYS MBT THREE QUARTER RIGHT FRONT VIEW



RA PD 305183

FIGURE A—TRAILER, 1/4-TON PAYLOAD, 2-WHEEL, CARGO, 1942-43, AMERICAN BANTAM T-3
AND WILLYS MBT THREE QUARTER RIGHT REAR VIEW